

Mellow Fellow - Tranquility Blend

Sample ID: 2605AFL0734.2548

Internal Lab ID: ATL-36406

Client

Client Notes

Strain: N/A

Mellow Fellow

Manufacturer: Precision Fill and Pack /
Food Entity Number: 426021

Matrix: Concentrates & Extracts

Received: 05/06/2026

Lic. # 426021


Type: Distillate

Completed: 05/08/2026

Address: 1309 NW 65th PL, Fort
Lauderdale, Florida, 33309

Unit Weight: 1 g

Batch#: 26296810



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/06/2026	Complete
Residual Solvents	05/08/2026	Pass
Microbials	05/08/2026	Pass
Heavy Metals	05/07/2026	Pass
Foreign Matter	05/08/2026	Pass

Expanded Potency - HPLC

Complete

ND				5.230%				91.645%			
Total THC				Total CBD				Total Cannabinoids			
Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result		
	%	%	%	mg/unit		%	%	%	mg/unit		
CBDVa	0.007	0.022	ND	ND	9S-HHC	0.010	0.030	ND	ND		
CBDV	0.007	0.022	ND	ND	9R-HHC	0.010	0.030	ND	ND		
CBDa	0.007	0.022	ND	ND	Δ9-THCH	0.008	0.024	ND	ND		
CBGa	0.007	0.022	ND	ND	Δ8-THCH	0.008	0.024	ND	ND		
CBG	0.007	0.022	2.777	27.77	Δ9-THCP	0.007	0.022	ND	ND		
CBD	0.007	0.022	5.230	52.30	Δ8-THCP	0.008	0.024	ND	ND		
THCV	0.007	0.022	ND	ND	Δ8-THCO	0.007	0.022	ND	ND		
Δ8-THCV	0.008	0.025	ND	ND	Δ9-THCO	0.007	0.022	ND	ND		
THCVa	0.007	0.022	ND	ND	9(S)-HHCP	0.008	0.024	ND	ND		
CBN	0.007	0.022	8.966	89.66	9(R)-HHCP	0.008	0.024	ND	ND		
Δ9-THC	0.007	0.022	ND	ND	11-Hydroxy-THC	0.008	0.024	ND	ND		
Δ8-THC	0.007	0.022	74.672	746.72	1(S)-H4-CBD	0.008	0.025	ND	ND		
(6aR,9S)-d10-THC	0.008	0.025	ND	ND	1(R)-H4-CBD	0.008	0.025	ND	ND		
(6aR,9R)-d10-THC	0.008	0.025	ND	ND	Δ9-THCB	0.008	0.023	ND	ND		
CBC	0.007	0.022	ND	ND	Δ8-THCB	0.008	0.024	ND	ND		
CBCa	0.007	0.022	ND	ND	CBDp	0.008	0.025	ND	ND		
THCa	0.007	0.022	ND	ND	Total			91.645	916.45		

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 05/06/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Pass
Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

2 of 3

Mellow Fellow - Tranquility Blend

Sample ID: 2605AFL0734.2548

Internal Lab ID: ATL-36406

Client

Client Notes

Strain: N/A

Mellow Fellow

Manufacturer: Precision Fill and Pack /

Matrix: Concentrates & Extracts

Received: 05/06/2026

Lic. # 426021

Food Entity Number: 426021

Type: Distillate

Completed: 05/08/2026

Address: 1309 NW 65th PL, Fort
Lauderdale, Florida, 33309

Unit Weight: 1 g

Batch#: 26296810

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 05/08/2026

Mycotoxins

Not Tested

Analyte	LOD	LOQ	Limit	Result	Status
---------	-----	-----	-------	--------	--------

Document ID:
Date Tested:

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 05/08/2026



Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

3 of 3

Mellow Fellow - Tranquility Blend

Sample ID: 2605AFL0734.2548

Internal Lab ID: ATL-36406

Client

Client Notes

Strain: N/A

Mellow Fellow

Manufacturer: Precision Fill and Pack /

Matrix: Concentrates & Extracts

Received: 05/06/2026

Lic. # 426021

Food Entity Number: 426021

Type: Distillate

Completed: 05/08/2026

Address: 1309 NW 65th PL, Fort
Lauderdale, Florida, 33309

Unit Weight: 1 g

Batch#: 26296810

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene	0.630	1.89	8	ND	Pass	n-Heptane	0.630	1.89	5000	15.018	Pass
1,2-Dichloroethane	0.630	1.89	2	ND	Pass	Isobutane	0.620	1.86		ND	Tested
1,4-Dioxane	0.630	1.89		ND	Tested	Isopentane	0.200	0.6		ND	Tested
2,2-Dimethylbutane	0.120	0.36		ND	Tested	Isopropanol	8.890	26.67	500	ND	Pass
2,3-Dimethylbutane	0.120	0.36		ND	Tested	Isopropyl Acetate	0.630	1.89		ND	Tested
2-Butanol	0.630	1.89		ND	Tested	m-Xylene + p-Xylene	0.330	0.99		ND	Tested
2-Ethoxyethanol	1.220	3.66		ND	Tested	Methanol	6.040	18.12	250	ND	Pass
2-Methylpentane	0.120	0.36		ND	Tested	Methylene Chloride	0.630	1.89	125	3.194	Pass
3-Methylpentane	0.120	0.36		ND	Tested	n-Butane	0.330	0.99		ND	Tested
Acetone	0.630	1.89	750	<1.890	Pass	n-Hexane	0.120	0.36		<0.360	Tested
Acetonitrile	6.010	18.03	60	ND	Pass	n-Pentane	0.200	0.6		ND	Tested
Benzene	0.020	0.06	1	ND	Pass	Neopentane	0.200	0.6		ND	Tested
Chloroform	0.050	0.15	2	ND	Pass	o-Xylene	0.150	0.45		ND	Tested
Cumene	0.630	1.89		ND	Tested	Propane	2.430	7.29	5000	ND	Pass
Cyclohexane	0.630	1.89		ND	Tested	Tetrahydrofuran	0.630	1.89		ND	Tested
Ethanol	12.490	37.47	5000	ND	Pass	Toluene	0.760	2.28	150	ND	Pass
Ethyl Acetate	3.460	10.38	400	ND	Pass	Trichloroethene	0.630	1.89	25	ND	Pass
Ethylbenzene	0.150	0.45		ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether	0.630	1.89	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol	19.310	57.93		ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide	0.620	1.86	5	ND	Pass	Xylenes	4.000	12	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested: 05/08/2026

Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	16	47.36	200	ND	Pass
Cadmium	16	47.34	200	ND	Pass
Lead	16	47.35	500	ND	Pass
Mercury	16	47.34	200	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9

Date Tested: 05/07/2026



Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.